

# Safety Data Sheet

## 1. IDENTIFICATION

**Product Identifier:** W-75 SPEED STRIPPER **Date of Revision:** January 31, 2018  
**Product Code:** J461  
**Other Name(s):**  
**Distributed By:**  
**Recommended Use and Restrictions on Use:** floor stripper  
**Manufactured By:** Ostrem Chemical Co. Ltd. Phone: 780-440-1911  
2310 - 80th Avenue NW In Case of Emergency Only, Phone  
Edmonton, Alberta, Canada T6P 1N2 CANUTEC: 613-996-6666  
www.ostrem.com

## 2. HAZARDS IDENTIFICATION

**Classification of the Mixture:** Eye Damage/Irritation - Category 1  
Skin Corrosion/Irritation - Category 1  
Flammable Liquids - Category 4

**Label Elements:**

Hazard Pictogram(s):



Signal Word: DANGER

**Hazard Statement(s):** Causes severe skin burns and eye damage.  
Combustible liquid.

**Precautionary Statement(s):**

**Prevention:** Do not breathe dusts or mists.  
Wash hands thoroughly after handling.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Wear protective gloves, protective clothing, and eye/face protection.

**Response:** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a poison centre or physician.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. Immediately call a poison centre or physician.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison centre or physician.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a poison centre or physician.

**Storage:** Store locked up.  
Store in a well-ventilated place.

**Disposal:** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Physical/health hazards not otherwise classified:**  
not applicable

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>Conc.</u>	<u>CAS #</u>	<u>Common Names</u>
ethylene glycol monobutyl ether	1 - 5%	111-76-2	2-butoxy ethanol, glycol ether EB
sodium hydroxide (50%)	5 - 10%	1310-73-2	caustic soda, lye
monoethanolamine	5 - 10%	141-43-5	
trisodium nitrilotriacetate	1 - 5%	5064-31-3	
glycol ether DB	7 - 13%	112-34-5	

## 4. FIRST-AID MEASURES

# Safety Data Sheet

## Necessary Measures:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a poison centre or physician.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. Immediately call a poison centre or physician.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison centre or physician.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a poison centre or physician.

## Most important symptoms, both acute and delayed:

Causes serious eye damage.  
Causes severe skin burns and eye damage.

## Indication of immediate medical attention and special treatment needed, if necessary:

not applicable

## 5. FIRE-FIGHTING MEASURES

### Suitable (and unsuitable) extinguishing media:

Use extinguishing media appropriate for surrounding fire.

### Specific hazards arising from the chemical (e.g.: hazardous combustion products):

May liberate carbon monoxide, carbon dioxide and oxides of sodium.

### Special protective equipment and precautions for firefighters:

As for surrounding fire. Firefighters should wear full protective clothing and self contained breathing equipment.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective equipment. See section 8.

### Environmental precautions:

Prevent from entering sewers, waterways or low areas.

### Methods and materials for containment and cleaning up:

Isolate hazard area and restrict access. Small spills: soak up with inert absorbent material and scoop into containers. Large spills: prevent contamination of waterways. Dike and pump into suitable containers. Clean up residual with absorbent material, place in appropriate container and flush with water.

## 7. HANDLING AND STORAGE

### Precautions for safe handling:

Do not breathe dusts or mists.  
Wash hands thoroughly after handling.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Do not ingest. Avoid contact with eyes, skin and clothing.

### Conditions for safe storage, including any incompatibilities:

Store locked up.  
Store in a well-ventilated place.  
Keep out of reach of children. Store in a cool, dry area.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters - Exposure limits:

#### Ingredient:

ethylene glycol monobutyl ether  
sodium hydroxide (50%)  
monoethanolamine

#### Limit:

ACGIH TWA: 20 ppm  
ACGIH TLV: 2 mg/m<sup>3</sup>  
ACGIH TWA: 6 ppm  
ACGIH STEL: 6 ppm  
not available  
not available

trisodium nitrilotriacetate  
glycol ether DB

### Appropriate engineering controls:

Provide exhaust ventilation to keep airborne levels below recommended exposure limits.

# Safety Data Sheet

**Respiratory protection:**

If exposure exceeds occupational exposure limits, use an appropriate NIOSH approved respirator.

**Other protection:**

Wear protective gloves, protective clothing, and eye/face protection.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance (physical state, colour etc.):</b>	clear red liquid
<b>Odour:</b>	butyl odour
<b>Odour threshold:</b>	not available
<b>pH:</b>	12.2
<b>Melting/Freezing point:</b>	not available
<b>Initial boiling point and range:</b>	not available
<b>Flash point:</b>	65 C
<b>Evaporation rate:</b>	not available
<b>Flammability (solid, gas):</b>	not available
<b>Upper/lower flammability or explosive limits:</b>	not available
<b>Vapour pressure:</b>	not available
<b>Vapour density:</b>	not available
<b>Relative density (specific gravity):</b>	1.050
<b>Solubility(ies):</b>	complete
<b>Partition co-efficient: n-octanol/water:</b>	not available
<b>Auto-ignition temperature:</b>	not available
<b>Decomposition temperature:</b>	not available
<b>Viscosity:</b>	not available

## 10. STABILITY AND REACTIVITY

**Reactivity:**

This material is considered to be non-reactive under normal use conditions.

**Chemical stability:**

Stable.

**Possibility of hazardous reactions:**

Reacts with acids and metals

**Conditions to avoid (e.g.: static discharge, shock or vibration):**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Incompatible materials:**

Oxidizers / Acid

**Hazardous decomposition products:**

not available

## 11. TOXICOLOGICAL INFORMATION

**POTENTIAL ACUTE HEALTH EFFECTS**

<b>Inhalation:</b>	May cause respiratory tract irritation.
<b>Ingestion:</b>	May be harmful if swallowed.
<b>Eye contact:</b>	Causes serious eye damage.
<b>Skin contact:</b>	Causes severe skin burns and eye damage.
<b>Skin absorption:</b>	not available

**POTENTIAL CHRONIC HEALTH EFFECTS**

<b>Inhalation:</b>	not available
<b>Ingestion:</b>	not available
<b>Eye contact:</b>	not available
<b>Skin contact:</b>	not available
<b>Skin absorption:</b>	not available

**Mutagenicity:** not available

# Safety Data Sheet

**Carcinogenicity:** This information, if applicable, can be found in Section 2.  
**Reproductive toxicity:** This information, if applicable, can be found in Section 2.  
**Sensitization of product:** This information, if applicable, can be found in Section 2.  
**Specific Target Organ Toxicity - single exposure:** This information, if applicable, can be found in Section 2.  
**Specific Target Organ Toxicity - repeated exposure:** This information, if applicable, can be found in Section 2.

## Toxicological Data:

### Ingredient:

ethylene glycol monobutyl ether

sodium hydroxide (50%)

monoethanolamine

trisodium nitrilotriacetate

glycol ether DB

### Data:

Oral LD50: 745 mg/kg (rat)

Dermal LD50: 1250 mg/kg (rat)

not available

Oral LD50: 1089 mg/kg (rat)

Oral LD50: 1450 mg/kg (rat)

LD50 = 5560 ORAL RAT

## Other Toxicological Information on Ingredients:

### ethylene glycol monobutyl ether

Chronic Effects: Organic solvents may be absorbed into the body by inhalation and ingestion and cause permanent damage to the nervous system, including the brain. Risk of damage to blood system. May cause damage to the liver and kidneys. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Reproductive effects: Possible risk of harm to the unborn child. Possible risk of impaired fertility.

Components in this product have been shown to cause birth defects and reproductive disorders in laboratory animals.

### trisodium nitrilotriacetate

Suspected of causing cancer.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity (aquatic and terrestrial, where available):** not available  
**Persistence and degradability:** not available  
**Bioaccumulative potential:** not available  
**Mobility in soil:** not available  
**Other adverse effects:** not available

**Ecological Information on Ingredients:** not available

## 13. DISPOSAL CONSIDERATIONS

**Waste disposal:** Disposal of all waste must be done according to local, provincial and federal regulations.

## 14. TRANSPORT INFORMATION

**TDG classification:** UN 1760; CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, ETHANOLAMINE); CLASS 8; PG II

## 15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

## 16. PREPARATION INFORMATION

**Prepared by:** Technical Services Department, Ostrem Chemical Co. Ltd., Ph.: 780-440-1911

**Date of Preparation:** February 03, 2017

**Date of Revision:** January 31, 2018

This Safety Data Sheet may not be changed or altered in any way without the express knowledge and permission of Ostrem Chemical Co. Ltd.

**End of Document**