# MATERIAL SAFETY DATA SHEET

## 1. IDENTIFICATION

OSTREM CHEMICAL CO. LTD. Phone: 780-440-1911 or 780-446-0177

2310 - 80 AVENUE In Case of Emergency Only:

EDMONTON AB T6P 1N2 phone CANUTEC at (613) 996-6666

**Product name:** WELLFOAM LB-50 LOW BRINE Code: D430

Other name: Distributed by: Product use:

Date completed: April 01, 2014

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient%W/WCAS numbermethanol30-6067-56-1

### 3. HAZARDS IDENTIFICATION

Flammable liquid and vapour. May cause dizziness, headache or nausea. May be harmful if inhaled. Harmful if swallowed. May cause blindness.

#### 4. FIRST AID MEASURES

**Inhalation:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention.

**Ingestion:** Induce vomiting only on the direct advice of a poison control centre. Get medical attention.

**Eye contact:** Flush with plenty of water for at least 15 minutes. Get medical attention.

**Skin contact:** Remove contaminated clothing and flush with plenty of water.

## 5. FIRE - FIGHTING MEASURES

Flash point (test method): 28C

Flammable limits (%): Flammable
Lower: Not available
Upper: Not available

Fire extinguishing substances: dry chemical, alcohol-resistant foam, carbon dioxide

Autoignition temperatures: Not available

**Hazardous combustion products:** May liberate carbon monoxide, carbon dioxide.

**Explosion data:** 

Sensitivity to mechanical impact: Not available Sensitivity to static discharge: Not available

**Special firefighting procedures:** As for surrounding fire. Fire fighters should wear full protective clothing

and self contained breathing equipment.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Wear appropriate protective equipment.

**Environmental precautions:** Prevent from entering sewers, waterways or low areas.

Methods for cleaning up: Isolate hazard area and restrict access. Small spills: soak up with inert

absorbent material and scoop into containers. Large spills: prevent contamination of waterways. Dike and pump into suitable containers. Clean up residual with absorbent material, place in appropriate

container and flush with water.

## 7. HANDLING AND STORAGE

**Handling:** Do not ingest. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. **Storage:** Keep out of reach of children. Keep container tightly closed. Store in a cool, dry area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering controls:** Provide exhaust ventilation to keep airborne levels below

recommended exposure limits.

**Respiratory protection**: If exposure exceeds occupational exposure limits, use an appropriate

NIOSH approved respirator

**Eye protection:** Chemical goggles. Wear a face shield if splashing hazards exists. **Other protection:** Wear protective clothing as necessary to prevent skin contact.

**Exposure limits:** 

INGREDIENT ACGIH OSHA Other methanol CAD AB OEL 200 ppm (262mg/m3)

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid Solubility in water: Complete **Boiling point:** Vapour pressure: Not available Not available Vapour density: Not available **Evaporation rate:** Not available Freezing point: Not available Odour threshold: Not available

**Sp. Gravity:** 0.9279 **pH:** 7.0 Appearance & odour: clear, pale liquid with methanol odour

10. STABILITY AND REACTIVITY

Stability: Stable Conditions of instability: Not available

**Incompatibility:** Avoid contact with bleach, peroxide, reactive metals, strong acids,

strong bases, strong oxidizing agents and zinc.

Conditions of reactivity: Not available Hazardous decomposition products: Not available

## 11. TOXICOLOGICAL PROPERTIES

POTENTIAL ACUTE HEALTH EFFECTS

**Inhalation:** Causes irritation and may cause weakness, dizziness, slurred speech, drowsiness,

unconsciousness; and in severe cases of overexposure, coma and death.

**Ingestion:** Harmful if swallowed. Causes burns to mouth, throat and stomach.

**Eye contact:** May cause mild to severe irritation such as stinging, tearing, redness and swelling of the

eves.

**Skin contact:** May cause skin irritation.

**Skin absorption:** Not available

POTENTIAL CHRONIC HEALTH EFFECTS:

**Inhalation:** Repeat or prolonged exposure may cause damage to lungs.

Ingestion:Not availableEye contact:Not availableSkin contact:Not availableSkin absorption:Not available

Irritancy of product: See WHMIS criteria

Sensitization of product: Not available

**Carcinogenicity:** IARC (1, 2A or 2B) No known significant effects.

ACGIH: (A1, A2 or A3)

No known significant effects.

Reproductive toxicity:No known significant effects.Teratogenicity:No known significant effects.Mutagenicity:No known significant effects.

Synergistic product:

HAZARDOUS INGREDIENTS CAS NO. TOXICITY DATA

methanol 67-56-1 LDL0 oral human: 300 mg/kg LD50 oral rabbit: 12,800 mg/kg

Not available

LC50 inhalation rat: 64,000 ppm/4H

12. ECOLOGICAL INFORMATION

Ecotoxicological information: Not available

Other information:

13. DISPOSAL CONSIDERATIONS

Waste disposal: Disposal of all waste must be done according to local, provincial and federal regulations.

14. TRANSPORT INFORMATION

**TDG classification:** FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL); Class 3 (6.1);

UN 1992; PG III

**15. REGULATORY INFORMATION** 

WHMIS: B2 Flammable Liquid

D2A Very Toxic Material Causing Other Toxic Effects

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

**16. PREPARATION INFORMATION** 

Prepared by: Technical Services Department, Ostrem Chemical Co. Ltd., Ph: (780) 440-1911