

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION

OSTREM CHEMICAL CO. LTD.
2310 - 80 AVENUE
EDMONTON AB T6P 1N2

Phone: 780-440-1911 or 780-446-0177
In Case of Emergency Only:
phone CANUTEC at (613) 996-6666

Product name: LOW TEMP LIQ. MACHINE DISHWASH

Code: J428

Other name:

Distributed by:

Product use: dish machine detergent

Date completed: January 11, 2016

2. COMPOSITION/INFORMATION ON INGREDIENTS

| Ingredient | %W/W | CAS number |
|------------------------|------|------------|
| Sodium hydroxide (50%) | 7-13 | 1310-73-2 |

3. HAZARDS IDENTIFICATION

Corrosive liquid. Causes burns. Harmful if swallowed.

4. FIRST AID MEASURES

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion: Induce vomiting only on the direct advice of a poison control centre. Drink 1-2 glasses of water. Never give anything by mouth to an unconscious person. Get medical attention.

Eye contact: Flush with plenty of water for at least 15 minutes. Get medical attention.

Skin contact: Remove contaminated clothing and flush with plenty of water.

5. FIRE - FIGHTING MEASURES

Flash point (test method): Not applicable

Flammable limits (%): Non-flammable

Lower: Not applicable

Upper: Not applicable

Fire extinguishing substances: Use extinguishing media appropriate for surrounding fire.

Autoignition temperatures: Not applicable

Hazardous combustion products: May liberate carbon monoxide, carbon dioxide and oxides of sodium.

Explosion data:

Sensitivity to mechanical impact: Not applicable

Sensitivity to static discharge: Not applicable

Special firefighting procedures: As for surrounding fire. Fire fighters should wear full protective clothing and self contained breathing equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Wear appropriate protective equipment.

Environmental precautions: Prevent from entering sewers, waterways or low areas.

Methods for cleaning up: Isolate hazard area and restrict access. Small spills: soak up with inert absorbent material and scoop into containers. Large spills: prevent contamination of waterways. Dike and pump into suitable containers. Clean up residual with absorbent material, place in appropriate container and flush with water.

7. HANDLING AND STORAGE

LOW TEMP LIQ. MACHINE DISHWASH

Handling: Do not ingest. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.
Storage: Keep out of reach of children. Keep container tightly closed. Store in a cool, dry area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls: Provide exhaust ventilation to keep airborne levels below recommended exposure limits.
Respiratory protection: If exposure exceeds occupational exposure limits, use an appropriate NIOSH approved respirator
Eye protection: Chemical goggles. Wear a face shield if splashing hazards exists.
Other protection: Wear protective clothing as necessary to prevent skin contact.

Exposure limits:

| INGREDIENT | ACGIH | OSHA | Other |
|-----------------------------|---------------------------|---------------|-------|
| Sodium hydroxide (50% Sol.) | 2 mg/m ³ Ceil. | Not available | |

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--------------------------------------|--|
| Physical state: Liquid | Solubility in water: Complete |
| Boiling point: Not available | Vapour pressure: Not available |
| Vapour density: Not available | Evaporation rate: Not available |
| Freezing point: Not available | Odour threshold: Not available |
| Sp. Gravity: 1.1037 | pH: 12.5 |
| Appearance & odour: | clear, red liquid |

10. STABILITY AND REACTIVITY

Stability: Stable
Conditions of instability: Not available
Incompatibility: () Water (X) Oxidizers (X) Acid () Base () Other
Conditions of reactivity: Reacts with acids and metals
Hazardous decomposition products: Not available

11. TOXICOLOGICAL PROPERTIES

POTENTIAL ACUTE HEALTH EFFECTS

Inhalation: Corrosive to respiratory system.
Ingestion: Harmful if swallowed. Causes burns to mouth, throat and stomach.
Eye contact: Corrosive to eyes. Causes severe burns.
Skin contact: Corrosive to skin. Causes severe burns.
Skin absorption: Not applicable

POTENTIAL CHRONIC HEALTH EFFECTS:

Inhalation: Repeat or prolonged exposure may cause damage to lungs.
Ingestion: Not available
Eye contact: Not available
Skin contact: Not applicable
Skin absorption: Not applicable

| | |
|--|-------------------------------|
| Irritancy of product: | See WHMIS criteria |
| Sensitization of product: | Not available |
| Carcinogenicity: IARC (1, 2A or 2B) | No known significant effects. |
| ACGIH: (A1, A2 or A3) | No known significant effects. |
| Reproductive toxicity: | No known significant effects. |
| Teratogenicity: | No known significant effects. |
| Mutagenicity: | No known significant effects. |
| Synergistic product: | Not available |

HAZARDOUS INGREDIENTS

Sodium hydroxide (50%)

CAS NO.

1310-73-2

TOXICITY DATALD₅₀ oral (rabbit) 365 mg/kg

12. ECOLOGICAL INFORMATION**Ecotoxicological information:** Not available**Other information:**

13. DISPOSAL CONSIDERATIONS**Waste disposal:** Disposal of all waste must be done according to local, provincial and federal regulations.

14. TRANSPORT INFORMATION**TDG classification:** SODIUM HYDROXIDE, SOLUTION; UN 1824; Class 8; PG II

15. REGULATORY INFORMATION**WHMIS:** E Corrosive material

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. PREPARATION INFORMATION**Prepared by:** Technical Services Department, Ostrem Chemical Co. Ltd., Ph: (780) 440-1911